

**To:** Caporale, Cynthia[Caporale.Cynthia@epa.gov]  
**From:** Wesolowski, Dennis  
**Sent:** Wed 1/15/2014 6:28:14 PM  
**Subject:** RE: 4-Methylcyclohexane Methanol

Thanks, I don't know him but you can give him my name if he's interested. Also, do you have a method for this. It looked like the State of WV may have been handling it so far from what I hear in the news. Are you involved?

Dennis Wesolowski, M.S.  
Director, Chicago Regional Laboratory  
USEPA Region 5  
536 S. Clark St. 10th Floor, ML-10C  
Chicago, IL 60605  
Phone 312-353-9084  
FAX 312-582-5176

-----Original Message-----

From: Caporale, Cynthia  
Sent: Wednesday, January 15, 2014 12:24 PM  
To: Wesolowski, Dennis  
Subject: FW: 4-Methylcyclohexane Methanol

Dennis,

Wanted you to know that Indiana lab requested information about the WV Spill related chemicals and Mitt Denney said he is preparing to analyze samples just in case this impacts their water intakes.

Cindy

-----Original Message-----

From: DENNEY, MITT [mailto:MDENNEY@idem.IN.gov]  
Sent: Wednesday, January 15, 2014 12:59 PM  
To: [Ex. 6 - Personal Privacy]@amwater.com  
Cc: Caporale, Cynthia; [Ex. 6 - Personal Privacy]awwa.org; [Ex. 6 - Personal Privacy]@amwater.com;  
[Ex. 6 - Personal Privacy]s@amwater.com; Wisniewski, Patti-Kay  
Subject: RE: 4-Methylcyclohexane Methanol

Just an update, the standard we are getting from Cincinnati Water Works is from TCI (not ITC mentioned in earlier email) and Eastman has finally gotten back with me.

Thank you for your assistance. I am not sure that we will be taking samples but I think we are suitably positioned to respond to any requests from our Evansville facility.

I can follow up if we do or do not sample if anyone wants to know.

Mitt Denney  
317-233-0314

-----Original Message-----

From: [Ex. 6 - Personal Privacy]@amwater.com]  
Sent: Wednesday, January 15, 2014 12:00 PM  
To: DENNEY, MITT  
Cc: Caporale, Cynthia@epa.gov; [Ex. 6 - Personal Privacy]  
[Ex. 6 - Personal Privacy]@amwater.com; Wisniewski, Patti-Kay@epa.gov

Subject: RE: 4-Methylcyclohexane Methanol

This is sold through Eastman Chemicals. The raw product is a mixture of chemicals, for analytical purposes you will need a standard.

**Ex. 6 - Personal Privacy**

Director, Innovation & Environmental Stewardship American Water  
1025 Laurel Oak Rd., P.O. Box 1770  
Voorhees, NJ 08043

Tel:

Cell:

Fax:

e-mail: [REDACTED]@amwater.com

Blog: <http://www.facebook.com/pages/American-Water>

Physical Address:

3906 Church Road

Mount Laurel, NJ 08054

Internal Tel: 7+215-6106

NOTE: new phone number!

From: "DENNEY, MITT" <MDENNEY@idem.IN.gov>

To: [REDACTED]@amwater.com"

<[REDACTED]@amwater.com>, "Wisniewski.Patti-Kay@epa.gov"  
<Wisniewski.Patti-Kay@epa.gov>

Cc:

**Ex. 6 - Personal Privacy**

"Caporale.cynthia@epa.gov" <Caporale.cynthia@epa.gov>

Date: 01/15/2014 11:52 AM

Subject: RE: 4-Methylcyclohexane Methanol

I have been able to acquire some of the raw product. Thank you for your responses.

Mitt Denney

317-233-0314

From: DENNEY, MITT

Sent: Wednesday, January 15, 2014 9:41 AM

To: [REDACTED]Wisniewski.Patti-Kay@epa.gov'

Cc: **Ex. 6 - Personal Privacy** os@amwater.com;

[REDACTED]@amwater.com; 'Caporale.cynthia@epa.gov'

Subject: 4-Methylcyclohexane Methanol

Thank you for the responses. I've been in contact with Test America.

They are running it in Canton, OH and Philly.

They have a contact person:

**Ex. 6 - Personal Privacy**

**Ex. 6 - Personal Privacy**

**Ex. 4 - CBI**

If anyone has any info where I can obtain some raw product, I would appreciate contact info.

Thanks

Mitt Denney  
Senior Environmental Manager  
Ground Water Section  
317-233-0314  
317-234-7424, fax  
mdenney@idem.in.gov

ÿ